

Pocket Wood

439 - 625

designed by Robby Cantarutti & Francesca Petricic




Description

A compact, functional and universal chair that knows how to be elegant in its rationality. The design recalls the classic themes of folding chairs, to offer

Use: indoor





End use: chair for home and contract suitable to furnish: home, boardroom, break-out area, library, restaurant, bar and canteen. In addition, you can find, Pocket plastic.

Materials, properties and details

Components

The **frame** is composed of two parts combined together by a hinge expressly designed for this chair. The two parts are composed of metal tubes, rectangular-section and round metal rods, welded. It can be powder coated with polyester varnish of the following colours: black (RAL9005), red (RAL3000), white (RAL9010) and aluminium satinated; aluminium embossed (epoxypolyester paint) or chromium plated.

The **hinge** that connects together the two parts is made of nylon and it's available in the same colour of frame (except for the chromed version).

Seat and back are in beech veneered plywood, available with the following finishings: natural, cherry, wengé or red, orange, black and white lacquered beech; oak veneered plywood, available with the following finishings: natural, bleeched, moka and grey aniline. Wood is water-based varnished.

The nylon gliders are exclusively designed and produced for Pocket chair, allowing stability and avoiding damages on floors where chairs are placed

On request, fixed **cushion**, padded and upholstered with fabrics chosen by the customers.

On request, there are three trolleys for transportation: 6 chairs Pocket trolley chromium plated, 10 chairs Pocket "Isola" trolley aluminium embossed and 45 chairs Pocket trolley pro matt black (RAL9005).

On request, wall hook up to 4 Pocket chairs

Packaging is made of a cardboard box and polyethylene sheets, and it contains 4 folded chairs. Available 2 chairs box on request. Depending on the number of boxes, they can be stacked up on a pallet. (*)

Requirements

- This article stood tests provided for by standards::
 EN 1728:2000 seat and back fatigue test, according to table 1 of EN 15373:2007, Level L3 severe
- EN 1728:2000 seat and back static load, according to table 1 of EN 1728/2000, Level 5

Volatile organic compounds (VOCs): EN 1084:1997 formaldehyde emission. Plywood panel used for seat and back comply with European regulation which establishes exclusive commercialization of E1 Class plywood panel, with emission lower than 3,5 mgHCHO/(m2·h) (measured with gas-analysis method provided for by UNI EN 717-2:1994)

REACH: it is the European regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the above-mentioned regulation and does not contain any "substance of very high concern" (SVHC).

Fire resistance

1-Fabric (cushion)

Aurea Mood: EN 1021 Part 2, UNI 9175 Classe 1 IM, BS 5852-1, BS 5852 Crib 5 – 50000 Martindale

Silk: EN 1021 Part 2, UNI 9175 Classe 1 IM, BS 5852-1, BS 5852 Crib 5 – 50000 Martindale

Blazer: EN 1021 Part 1 and 2, UNI 9175 Classe 1 IM, BS 7176:2007 Low Hazard, Classement M2 – 50000 Martindale

Architecture F.R.: EN 1021 Part 2, UNI 9175 Classe 1 IM, California TB 117 – 35000 Martindale

Xtreme plus: EN 1021 Part 1 and 2, UNI 9175 Classe 1 IM, BS 7176:2007 Low Hazard & Medium Hazard, BS 5852 Crib 5, Classement M1, DIN 4102 B1 – 100000 Martindale

Planet: EN 1021 Part 2, UNI 9175 Classe 1 IM, BS 5852-1, Classement M2, California TB117 – 100000 Martindale

Nexus: EN 1021 Part 1 and 2, UNI 9175 Classe 1 IM, BS 7176:2007 Low Hazard, BS 476 Part 7 Class 1 – 100000 Martindale

Ordinary cleaning and maintenance

Any spills should be wiped up immediately with a clean, dry cloth. Use neutral detergents only. Avoid cleaning with abrasive sponges.

Extraordinary maintenance

Supplier suggested personnel only.

Precautions for use

This product is not suitable for outdoor use.
The chair must be used with its four legs resting on the floor at all times.

Do not sit on the back.

Do not stand on the chair.

Be careful not to trap fingers when opening and closing the chair.

Be careful not to sit off the chair centre.

Check periodically that the screws are correctly tightened.

Please keep away from any heating source.

Tested for up to 110kg load, we advise not to use this product when exceeding this load limit.

In case of children use, please consider the supervision of an adult.

Arrmet S.r.I is not liable for any damage that may result from the product misuse.

Ecology

Harmful substances

This product is not toxic nor hazardous to human health, animals or environment.

Waste disposal
(*) We use recyclable packaging wherever practical, and encourage all our customers to recycle the packaging supplied with the product. Please utilise the waste collection and recycling service operated by your local authority, or take the waste packaging to a suitable recycling point.

Warranty

24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (D.Igs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.