

CATAS S.p.A. Iscr. Reg. Imprese Udine nr. iscr. C.F. 01818850305 Reg. Impr. UD 20663 P. IVA : 01818850305 C.Soc. € 1.003.650,00 i.v. Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: Via Braille, 5 20851 Lissone MB Tel. 039.464567 Fax 039.464565 e-mail: lissone@catas.com

Date received: 01/07/14

Date of issue: 29/07/14

Report consists of 6 test reports.

Defects before testing: None

Sample name: DROP TABLE

OMP S.R.L. VIA CA' LEONCINO, 2 31030 CASTELLO DI GODEGO (TV) ITALIA

SAMPLE Nº 179666

Overall dimensions: 800 x 800 x 725 (h) mm

List performed tests:

- 1. Non domestic tables: safety requirements EN 15372:2008 clause 5
- 2. Horizontal static load test EN 1730:2000, clause 6.2
- 3. Vertical static load test EN 1730:2000, clause 6.3
- 4. Horizontal fatigue test EN 1730:2000, clause 6.4
- 5. Vertical impact test EN 1730:2000, clause 6.6
- 6. Stability EN 1730:2000, clause 6.7



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

ging Director ndrea Giavon



	-	
Date received:	01/07/14	7
Date of test:	16/07/14	
Date of issue:	29/07/14	
Sample name:	DROP TABLE	Ξ

/07/14 /07/14 07/14

CATAS S.p.A.

Iscr. Reg. Imprese Udine

Reg. Impr. UD 20663

P. IVA : 01818850305

nr. iscr. C.F. 01818850305

C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 e-mail: lissone@catas.com



OMP S.R.L. VIA CA' LEONCINO, 2 31030 CASTELLO DI GODEGO (TV) ITALIA

Non domestic tables: safety requirements EN 15372:2008 clause 5

5.1 General requirements

Requirements	Observed	Remarks
Table top: edges are rounded or chamfered	yes	none
All other edges: are free from burrs and/or sharp edges	yes	none
Ends of hollow components: are closed or capped	yes	none
Movable and adjustable parts: are designed so to injuries and inadvertent operation are avoied	/	movable parts not present
Load bearing part of table: shall not be possible to come loose unintentionally	yes	none
Parts wich are lubricated: all the parts wich are lubricated shall be designed to protect users	/	parts wich are lubricated not present

5.2.2 Shear and squeeze points

Requirements	Observed	Remarks
Absence of shear and squeeze points under influence of powered mechanism	/	mechanism not present

5.2.3 Shear and squeeze points during use

Requirements	Observed	Remarks
Absence of shear and squeeze points created by forces applied during normal use, see Table 2	yes	none
Absenceof shear and squeeze points created by the weight of the user during normal movements and actions	yes	none

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Andrea Giavon



Date received:	01
Date of test:	17
Date of issue:	29
Sample name:	D



CATAS S.p.A.

Iscr. Reg. Imprese Udine

Reg. Impr. UD 20663

P. IVA : 01818850305

nr. iscr. C.F. 01818850305

C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 e-mail: lissone@catas.com



OMP S.R.L. VIA CA' LEONCINO, 2 31030 CASTELLO DI GODEGO (TV) ITALIA

Horizontal static load test EN 1730:2000, clause 6.2

Test results:

Direction of the force	Nominal force N	Vertical component N	Horizontal component N	Number of cycles	Remarks
longitud. (Fa)	400	250	150	10	No defects *
longitud. (Fb)	400	250	150	10	No defects *
transverse (Fc)	400	250	150	10	No defects *
transverse (Fd)	400	250	150	10	No defects *

Note:

- The test has been carried out according to table 2 of EN 15372:2008, level 2
- * Test results comply with strength and durability requirements of clause 6.2 (clause 1, 2, 3) EN 15372:2008

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

lanaging Director Andrea Giavon



Date received:	01/07/14	-
Date of test:	17/07/14	
Date of issue:	29/07/14	
Sample name:	DROP TABLE	_

/07/14 7/07/14 9/07/14

CATAS S.p.A.

Iscr. Reg. Imprese Udine

Reg. Impr. UD 20663

P. IVA : 01818850305

nr. iscr. C.F. 01818850305

C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 e-mail: lissone@catas.com



OMP S.R.L. VIA CA' LEONCINO, 2 31030 CASTELLO DI GODEGO (TV) ITALIA

Vertical static load test EN 1730:2000, clause 6.3

Test results:

Type of surface:	Load application position:	Vertical force N	Number of Cycles	Remarks
Main surface	100 mm from the edge of the top as far away from the supports as possible	1250	10	No defects *

Note:

- The test has been carried out according to table 2 of EN 15372:2008, level 2
- * Test results comply with strength and durability requirements of clause 6.2 (clause 1, 2, 3) EN 15372:2008

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Anaging Director Dr. Andrea Giavon



Date received:	01/
Date of test:	21/
Date of issue:	29/
Sample name:	DR



CATAS S.p.A.

Iscr. Reg. Imprese Udine

Reg. Impr. UD 20663

P. IVA : 01818850305

nr. iscr. C.F. 01818850305

C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 e-mail: lissone@catas.com



OMP S.R.L. VIA CA' LEONCINO, 2 31030 CASTELLO DI GODEGO (TV) ITALIA

Horizontal fatigue test EN 1730:2000, clause 6.4

Test results:

Direction of force	Horizontal force N	Number of cycles	Load on top kg	Remarks
Longitudinal (Fa)	300	15000	50	No defects *
Longitudinal (Fb)	300	15000	50	No defects *
Transverse (Fc)	300	15000	50	No defects *
Transverse (Fd)	300	15000	50	No defects *

Note:

- The test has been carried out according to table 2 of EN 15372:2008, level 2
- * Test results comply with strength and durability requirements of clause 6.2 (clause 1, 2, 3) EN 15372:2008

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Date received: 01/07/14 Date of test: 29/07/14 Date of issue: 29/07/14 Sample name:



CATAS S.p.A.

Iscr. Reg. Imprese Udine

Reg. Impr. UD 20663

P. IVA: 01818850305

nr. iscr. C.F. 01818850305

C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel 039 464567 Fax 039.464565 e-mail: lissone@catas.com



OMP S.R.L. VIA CA' LEONCINO, 2 31030 CASTELLO DI GODEGO (TV) ITALIA

Vertical impact test EN 1730:2000, clause 6.6

Type of surface: main surface

Impact mass: 25 kg

Point of impact: as close as possible to one point of support of the top but not less than 100 mm from any edge.

Drop height mm	Number of cycles	Remarks
180	10	No defects *

Point of impact: 100 mm from the edge of the top as far away from the supports as possible.

Drop height mm	Number of cycles	Remarks
180	10	No defects *

Note:

- The test has been carried out according to table 2 of EN 15372:2008, level 2
- * Test results comply with strength and durability requirements of clause 6.2 (clause 1, 2, 3, 4) EN 15372:2008

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon



Date received: 01/07/14 Date of test: 29/07/14 Date of issue: 29/07/14 Sample name:



CATAS S.p.A.

Iscr. Reg. Imprese Udine

Reg. Impr. UD 20663

P. IVA : 01818850305

nr. iscr. C.F. 01818850305

C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel 039 464567 Fax 039.464565 e-mail: lissone@catas.com



OMP S.R.L. VIA CA' LEONCINO, 2 31030 CASTELLO DI GODEGO (TV) ITALIA

Stability EN 1730:2000, clause 6.7

Type of surface: main surface Largest dimension: 700 mm

Test results:

Vertical force N	Remarks
200	No tip *

Note:

- The test has been carried out according to table 2 of EN 15372:2008
- that specify from first level to third level the same stability requirements
- * Test results comply with stability requirements of clause 5.3.1.2 and 5.3.1.3 EN 15372:2008

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

ha**gi**ng Director Andrea Giavon