



Armchair with upholstered seat and backrest and 4 solid beech wood legs.

 0.33 m<sup>3</sup>  8.2 kg   
11.65 Ft 18.08 Lbs

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	775	460	610	675	620

Frame	4-legged beech base.
Seat	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .
Back	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m <sup>3</sup> and 40 kg/m <sup>3</sup> .
Accessories	Polypropylene, felt or steel glides.
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

### Fabrics / Telas

**1** Jacquard One  
Jacquard Three  
Citadel  
Era  
Gravity  
Rivet  
Urban

**4** Jacquard 4 Special  
Nexus  
Floyd  
Heritage  
Savane  
Loom Three  
Loom Four  
Cura  
Oceanic

**6** Go check  
Swing  
Chartres  
Zori  
Patio

### Faux Leather / Ecopiel

**1** Valencia  
**2** Silvertex  
**3** Maglia  
**4** Dolce  
**8** Ultraleather Original  
Ultraleather Linen  
Ultraleather Pearlized

**11** Ultraleather Reef Pro  
Ultraleather Volar Bio  
Ultratech Cove

**9** Brisa Original  
Brisa Distressed  
Brisa Fresco  
Brisa Mokume  
Ultraleather Cora Outdoor  
Ultraleather Pony  
Ultraleather Pro  
Ultraleather Promessa  
Ultraleather Promessa Outdoor  
Ultraleather Dwell  
Ultratech EcoTech  
**10** Brisa Distressed Outdoor  
Ultraleather Distressed Outdoor  
Ultratech Helix  
Ultratech Wired

**2** Jacquard Two  
Circular One Pure Eco

**7** Canvas 2  
Rime  
Select  
Clara 2

**8** Capture  
Fiord 2  
Tonus 4  
Divina 3  
Lopi  
Domino

**9** Divina MD  
Divina Melange 3  
Hallingdal 65  
Steelcut Trio 3

### Upholstery

**3** Jacquard Four  
Medley  
Revive 1  
Natte  
Main Line Flax  
Loom Two  
Mezzo

**5** Silk  
Synergy  
Step  
Step Melange  
Blazer  
Melange Nap  
Glow  
Chili  
Noma  
Re-wool


### Leather / Piel

**L1** High grade cow leather  
Piel de vaca de 1ª categoría

**L3** Polished full grain leather  
Plena flor pulida

**L6** Aniline leather batique-effect.  
Scandinavian cattle.  
Piel anilina efecto batique.  
Ganado escandinavo.

### Leather



### Wood finish Beech



### Premium finish and wood lacquers

### RESISTANCE AND QUALITY

UNE-EN 16139:2013  
ISO 9001

### FIREPROOF

UNE-EN 1021-1:2006  
B.S. 5852 Part 2 Crib V  
UNI 9175 M-1  
California Tech.Bulletin 117

# Andreu World

**SO2996**

**Brandy**

Lievore Altherr Molina

**SUSTAINABILITY**

FSC

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard